

FIREBULL F3 FLUORINE FREE FOAM

Preparation Date: 1/17/2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: FIREBULL F3 FLUORINE FREE FOAM**Recommended use:** Fire Fighting**Manufacturer, supplier:**

EnforcerOne, LLC
 473 Dividend Dr
 Peachtree City, GA 30269
 Phone 770-460-7793

Emergency Contact Telephone number: 770-460-7793

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	1
Flammability	0
Physical Hazard	0



2. HAZARDS IDENTIFICATION

GHS Classification

Acute oral toxicity Category 4
 Skin Irritation Category 2
 Serious Eye Irritant Category 2A

GHS Label Element

Hazard Pictograms:

Signal Word

Warning

Hazard Statements

Harmful if swallowed
 Causes skin irritation
 Causes serious eye irritation

Precautionary Statements:**Prevention:** Wash skin thoroughly after handling. Do not eat, drink, or smoke when using this product. Wear protective gloves and eye protection.**Response:****Principal routes of exposure:** Eye contact, Skin contact, Inhalation, Ingestion.**Skin:** Wash contaminated area with soap or mild detergent. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation persists.**Eyes:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.**Inhalation:** If symptoms occur move affected person to fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention promptly.**Ingestion:** If product is swallowed, do not induce vomiting. If vomiting occurs keep head lower than hips to help prevent aspiration. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention at once.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %
Proprietary hydrocarbon surfactant blend	NA	1 – 5
Glycol Ether	112-34-5	10
Xantham Gum	11138-66-2	< 3
Sodium Decyl Sulfate	151-21-3	7
H2O	NA	75

4. FIRST AID MEASURES

Skin contact: Wash contaminated area with soap or mild detergent. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation persists.

Eye contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Inhalation: If symptoms occur, move affected person to fresh air. If not breathing, give artificial respiration. If symptoms persist, get medical attention promptly.

Ingestion: If product is swallowed, do not induce vomiting. If vomiting occurs keep head lower than hips to help prevent aspiration. Never give anything by mouth to an unconscious person. If affected person is conscious, give plenty of water to drink. Get medical attention at once.

5. FIRE-FIGHTING MEASURES

Fire Fighting Procedure: Use water vapor, foam or fog. Firefighters should wear proper protective equipment.

Fire Hazard: N/A

Flash Point (F°, TCC): None

Flammable Limits: LEL: N/A

6. ACCIDENTAL RELEASE MEASURES

Spill Clean Up: Wear appropriate protective equipment (see Section 8). Absorb with an inert material and put spilled material in appropriate waste disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapors or mists. Keep container closed. Wash thoroughly after handling.

Storage: Keep container in cool well ventilated area. Keep container tightly closed. Store away from incompatible materials. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

No special ventilation requirements. General room ventilation is adequate.

Personal Protective Equipment

Eyes: Safety eyewear should be used when there is a likelihood of exposure.

Hand: For prolonged or repeated handling wear impervious chemical resistant gloves.

Skin: Wear normal work place attire.

Respiratory: Avoid breathing vapors, spray or mists.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Red liquid
Odor	characteristic
Upper and lower flammability or explosive limits	not available
Vapor pressure	not available
Odor threshold	not available
Vapor density	not available
pH	7-8.5
Relative density	1.0-1.02
Melting point/freezing point	not available
Boiling Point deg. F	not available
Solubility water	soluble
Initial boiling point and boiling range	not available
Flash point	not available
Evaporation rate	not available
Auto-ignition temperature	not available
Decomposition temperature	not available
VOC content (%)	<1
Viscosity	not available

10. STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Strong oxidizing agents.

Polymerization: Will not occur.
Hazardous Decomposition: Carbon monoxide, carbon dioxide, and other organic materials.

11. TOXICOLOGICAL INFORMATION

Toxicity to animals: NA
Oral (LD50) Acute:
Dermal (LD50) Acute:

12. ECOLOGICAL INFORMATION

Ecological Information: Not available.
Biodegradable/OECD: Not available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Liquid wastes are not permitted in landfill. Consult local, state, and federal agencies for proper disposal in your area.

Classification: Non-hazardous waste

14. TRANSPORT INFORMATION

Not regulated as hazardous by DOT 14.1 Product:
Shipping Class: 55; NMFC # 048580; Schedule B: 3813.00
14.2 Extinguishers: Shipping Class: 60; NMFC # 069185; Schedule B: 8424.10

Note: DOT classification does not necessarily apply to all sizes. For specific container size exceptions, refer to the Bill of Lading with your shipment.

15. REGULATORY INFORMATION

SARA 313 toxic chemical notification and release reporting: No product found
Clean Water Act (CWA) regulated substance: No product found
Clean Air Act (CAA) 112 regulated toxic substances: No product found
State Regulations: The following ingredients appear on various State's Right to Know lists and/or California's Proposition 65 list:

Ingredient(s)	CAS #	State List
None		

SARA 311/312 Hazard Categories

Immediate: -
Delayed: -
Fire: -
Reactivity: -
Sudden Release of Pressure: -

Canada

WHMIS Hazard Class:

16. OTHER INFORMATION

Reason for revision: Format revision
Additional advice:

Notice to Reader:

As of the date of issuance, we are providing available information relevant to the handling of this material in the workplace. All information contained herein is offered in good faith in the belief that it is accurate. This material safety data sheet shall not be deemed to constitute or imply any warranty of any kind. In the event of an adverse incident associated with this material, this safety data sheet is not intended as a substitute for consultation with appropriately trained personnel (refer to section 1). Some information presented and conclusions herein are from sources other than test data on the substance itself. We do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of the product.

CERTIFICATE OF COMPLIANCE

Certificate Number EX28308
Report Reference EX28308-20201217
Date 2021-MAY-17

Issued to: EnforcerOne LLC
473 Dividend Dr
Peachtree City GA, 30269 US

**This is to certify that
representative samples of**

FOAM LIQUID CONCENTRATES

Firebull F3, nominal 6 percent Synthetic , +35 F minimum storage and use temperature. Hydrocarbon fuels only. For fresh water use only.

Firebull F3, nominal 3 percent Synthetic , +35 F minimum storage and use temperature. Hydrocarbon fuels only. FOR FRESH WATER USE ONLY.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:

UL 162, UL Standard for Safety for Foam Equipment and Liquid Concentrates

CAN/ULC S564-06, ULC Standard for Categories 1 and 2 Foam Liquid Concentrates


Additional Information:

See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

